

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings of claims in the application:

5

**Listing of claims:**

1-17. (Canceled)

10           18.     (Previously presented) A two-part prosthetic heart valve for implantation within a native heart valve, comprising:

15                 a substantially cylindrical tissue-engagable base portion expandable from a collapsed state to an expanded state, the collapsed state sized for delivery through a delivery catheter to a heart valve annulus and the expanded state sized to contact the heart valve annulus; and

20                 a leaflet subassembly including a self-expandable metallic support structure and three heart valve leaflets, the leaflets being attached to the support structure at commissures, wherein the support structure has a fabric covering and the three heart valve leaflets are attached to the support structure at least in part by stitches along the fabric covering; and

25                 mechanical coupling members on the tissue-engagable base portion and leaflet subassembly for allowing the leaflet subassembly to mechanically couple to the tissue-engagable base portion, wherein the mechanical coupling members on the tissue-engagable base comprising axial posts configured for connection to the mechanical coupling members on the leaflet subassembly;

                  wherein the tissue-engagable base portion and leaflet subassembly are separate components and the leaflet subassembly is configured to mechanically connect to the

Serial No.: 10/766,139

Docket No.: PVI-5541DIVCON

Amendment dated December 17, 2007

Responsive to the final Office Action dated October 18, 2007

tissue-engagable base portion at the time of an implant procedure for providing a  
prosthetic heart valve.

19. (Previously presented) The two-part prosthetic heart valve of claim 18, wherein  
5 the support structure comprises a wireform and wherein the three heart valve leaflets are attached  
to the wireform.

20. (Canceled)

10 21. (Previously presented) The two-part prosthetic heart valve of claim 18, wherein  
the support structure comprises an elastic wireform for supporting the leaflets and wherein the  
wireform provides alternating commissures and cusps.

22. (Previously presented) The two-part prosthetic heart valve of claim 18, wherein  
15 the three heart valve leaflets are individual leaflets attached to the support structure separately  
from each other.

23. (Canceled)

20 24. (Previously presented) The two-part prosthetic heart valve of claim 18, wherein  
the three heart valve leaflets are formed of bioprosthetic tissue.

25 25. (Previously presented) The two-part prosthetic heart valve of claim 18, wherein  
the tissue-engagable base portion is plastically-expandable from its collapsed state to its  
expanded state.

26. (Previously presented) The two-part prosthetic heart valve of claim 18, wherein the tissue-engagable base portion is self-expandable from its collapsed state to its expanded state.

27-37. (Canceled)

38. (Previously presented) A two-part prosthetic heart valve for implantation within a native heart valve, comprising:

a tissue-engagable base expandable from a collapsed state to an expanded state, the collapsed state sized for advancement through a patient's vasculature to a heart valve annulus and the expanded state sized to engage the heart valve annulus, the tissue-engagable base having an outflow rim and a plurality of commissure posts rigidly attached to extend beyond the outflow rim and a plurality of cusp posts rigidly attached to extend beyond the outflow rim;

a leaflet subassembly including a support structure and three heart valve leaflets, the leaflets being attached to the support structure at their commissures, wherein the support structure comprises an elastic wireform for supporting the leaflets and wherein the wireform provides alternating commissures and cusps; and

a plurality of discrete mating connectors on the leaflet subassembly and tissue-engagable base, one each on the leaflet subassembly and base forming a pair of mating connectors, the mating connectors configured to mechanically couple the leaflet subassembly to the tissue-engagable base when the tissue-engagable base is in the expanded state, each commissure post and cusp post having one of the mating connectors thereon for securely coupling to a mating connector on one of the commissures and cusps of the elastic wireform.

39. (Previously presented) The two-part prosthetic heart valve of claim 38, wherein the tissue-engagable base is plastically-expandable from the collapsed state to the expanded state.

40-42. (Canceled)

43. (Previously presented) The two-part prosthetic heart valve of claim 38, wherein each pair of the mating connectors joins by axially displacing the leaflet subassembly toward the tissue-engagable base.

44-49. (Canceled)

50. (Currently amended) A two-part prosthetic heart valve for implantation within a native heart valve, comprising:

a tissue-engagable base expandable from a collapsed state to an expanded state, the collapsed state sized for advancement through a patient's vasculature to a heart valve annulus and the expanded state sized to engage the heart valve annulus, the tissue-engagable base further including an outflow rim and a plurality of commissure posts rigidly attached to the tissue-engagable base so as to extend generally axially beyond the outflow rim, and a plurality of cusp posts rigidly attached to the tissue-engagable base so as to extend beyond the outflow rim;

an expandable leaflet subassembly including a support structure and three heart valve leaflets, the leaflets being attached to the support structure at their commissures, the leaflet subassembly being expandable from a collapsed state to an expanded state, wherein the support structure comprises an elastic wireform with alternating commissures and cusps for supporting the leaflets; and

a plurality of axially extending discrete mating connectors on the leaflet subassembly and tissue-engagable base, one each on the leaflet subassembly and base forming a pair of mating connectors, wherein each commissure post and cusp post of the tissue-engagable base has one of the mating connectors thereon for securely coupling to a mating connector on one of the commissures and cusps of the elastic wireform, wherein

axial displacement of the leaflet subassembly in its expanded state toward the expanded tissue-engageable base in its expanded state actuates a mutual coupling mechanism on the pairs of mating connectors so as to mechanically couple the leaflet subassembly to the tissue-engageable base.

5

51. (Previously presented) The two-part prosthetic heart valve of claim 50, wherein the tissue-engagable base is plastically-expandable from the collapsed state to the expanded state.

52. (Canceled)

10

53. (Currently amended) The two-part prosthetic heart valve of claim 50 ~~52~~, wherein mating connectors on the leaflet subassembly are provided on each of the commissures and cusps of the elastic wireform.

15

54. (Canceled)

55. (Previously presented) The two-part prosthetic heart valve of claim 50, wherein the mating connectors are joined together by axial compression.

20

56. (Previously presented) The two-part prosthetic heart valve of claim 55, wherein the mating connectors are configured to snap fit together.

25

57. (Previously presented) The two-part prosthetic heart valve of claim 55, wherein one of each pair of mating connectors comprises a partial circle opening in an axial direction toward the other of the pair.

58. (Canceled)